



References

- AAGAARD, J.E., S.S. VOLLMER, F.C. SORENSEN, and S.H. STRAUSS. 1995. Mitochondrial DNA products among RAPD profiles are frequent and strongly differentiated between races of Douglas-fir. *Mol Ecol* 4:441-447.
- ADAMS, D., S. FRANKEL, and T. TIDWELL. 1999. Chronicle of pitch canker in California. p. 49-53 *In*: M. DEVEY, C. MATHESON, and T. GORDON (eds.) Current and potential impacts of pitch canker in radiata pine. Proceedings of the IMPACT Monterey workshop, Monterey, California, November 30 to December 3, 1998. CSIRO Forestry and Forest Products Technical Report No. 112. Canberra, Australia.
- ALAZARD, P. and D.X. DESTREMAU. 1982. De l'expérimentation en France de *Pinus radiata*. Résultats préliminaires. *Ann Rech Sylvic* 1981:4-33.
- ARAGONÉS, A., I. BARRENA, S. ESPINEL, A. HERRAN, and E. RITTER. 1997. Origin of Basque populations of radiata pine inferred from RAPD data. *Ann Sci Forestier* 54: 697-703.
- AXELROD, D.I. 1980. History of the maritime closed-cone pines, Alta and Baja California. University of California Publications in Geological Sciences. Vol. 120. University of California Press. Berkeley, CA USA.
- AXELROD, D.I. 1981. Holocene climatic changes in relation to vegetation disjunction and speciation. *Am Nat* 117: 847-870.
- AXELROD, D.I. 1982. Age and origin of the Monterey endemic area. *Madroño* 29:127-147.
- AXELROD, D.I. 1986. Cenozoic history of some western American pines. *Ann Mo Bot Gard* 73:565-641.
- AZEVEDO, J. and D.L. MORGAN. 1974. Fog precipitation in coastal California forests. *Ecology* 55:1135-1141.
- BACHELET, D., R.P. NEILSON, J.M. LENIHAN, and R.J. DRAPEK. 2001. Climate change effects on vegetation distribution and carbon budget in the United States. *Ecosystems* 4:164-185.
- BANNISTER, M.H. 1958. Specimens of two pine trees from Guadalupe Island, Mexico. *NZ J For* 7:81-87.
- BANNISTER, M.H. 1965a. Variation in the breeding system of *Pinus radiata*. p. 353-372 *In*: H.G. BAKER and G.L. STEBBINS (eds.) *The genetics of colonizing species*. Academic Press. New York, NY.
- BANNISTER, M.H. 1965b. Sampling the pines of Guadalupe Island and Cedros Islands, 1964. Internal Silviculture Report No. 49. Forest Research Institute, Rotorua, New Zealand. Unpublished.
- BANNISTER, M.H. and I.R.C. McDONALD. 1983. Turpentine composition of the pines of Guadalupe and Cedros Islands, Baja California. *NZ J Bot* 21:373-377.
- BANNISTER, M.H., A.L. WILLIAMS, I. R.C. McDONALD, and M.B. FORDE. 1962. Variation of turpentine composition in five population samples of *Pinus radiata*. *NZ J Sci* 5: 486-495.
- BARBOUR, M. 1995. Letter to the editor. *Fremontia* 23(3): 32-33.
- BARBOUR, M., B. PAVLIK, F. DRYSDALE, and S. LINDSTROM. 1993. *California's changing landscapes*. California Native Plant Society. Sacramento, CA USA.
- BIRKY, C.W., Jr. 1988. Evolution and variation in plant chloroplast and mitochondrial genomes. p. 23-53 *In*: L.D. GOTTLIEB and S.K. JAIN (eds.) *Plant evolutionary biology*. Chapman and Hall. London, UK.
- BONNER, F.T. 1990. Storage of seeds: potential and limitations for germplasm conservation. *For Ecol Manage* 35: 35-43.
- BONNIE, R. S. SCHWARTZMAN, M. OPPENHEIMER, and J. BLOOMFIELD. 2000. Counting the cost of deforestation. *Science* 288:1763-1764.
- BOOMSMA, D. 1997. Development of the Southern Tree Breeding Association radiata pine breeding population. p. 211-216 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ

- FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- BOOTH, T.H. 1990. Mapping regions climatically suitable for particular tree species at the global scale. *For Ecol Manage* 36:47–60.
- BOSTIC, D.L. 1975. *A natural history guide to the Pacific coast of north central Baja California and adjacent islands*. Biological Educational Expeditions, Inc. Vista, CA USA.
- BRADLEY, R. 2000. 1000 years of climate change. *Science* 288:1353, 1355.
- BROWN, A.H.D. and G.F. MORAN. 1979. Isozymes and the genetic resources of forest trees. p. 1–10 *In*: M.T. CONKLE (ed.) *Isozymes of North American forest trees and forest insects*. Proceedings of a Symposium, July 1979, Berkeley, CA. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station. Technical Report No. 48.
- BUCHERT, G.P., O.P. FAJORA, J.V. HOOD, and B.P. DANCIK. 1997. Effects of harvesting on genetic diversity in old-growth eastern white pine in Ontario, Canada. *Conserv Biol* 11:747–758.
- BURDON, R.D. 1984. Gene resources management plan for *Pinus radiata* in New Zealand. N.Z. For. Serv., For. Res. Inst. Project Record 4–21. Unpublished report.
- BURDON, R.D. 1988. Recruitment for breeding populations: objectives, genetics, and implementation. p. 555–572 *In*: B.S. WEIR, E.J. EISEN, M.M. GOODMAN, and G. NAMKOONG (eds.) Proc. 2nd International Conference on Quantitative Genetics. Sinauer Associates, Inc. Sunderland, MA USA.
- BURDON, R.D. 1992. Genetic survey of *Pinus radiata*. 9. General discussion and implications for genetic management. *NZ J For Sci* 22:274–298.
- BURDON, R.D. 2001a. Genetic diversity and disease resistance: some considerations for research, breeding, and deployment. *Can J For Res* 31:596–606.
- BURDON, R.D. 2001b. *Pinus radiata*. p. 99–161 *In*: F.T. LAST (ed.) *Tree crop ecosystems*. Ecosystems of the world, 19. Elsevier Science. New York, NY USA.
- BURDON, R.D., M.H. BANNISTER, and C.B. LOW. 1992a. Genetic survey of *Pinus radiata*. 2. Population comparisons for growth rate, disease resistance, and morphology. *NZ J For Sci* 22:138–159.
- BURDON, R.D., M.H. BANNISTER, H.A.I. MADGWICK, and C.B. LOW. 1992b. Genetic survey of *Pinus radiata*. 1. Introduction, description of experiment, and basic methodology. *NZ J For Sci* 22:119–137.
- BURDON, R.D., P. BROEKHUIZEN, and J.A. ZABKIEWICZ. 1997a. Comparison of native-population and New Zealand land-race samples of *Pinus radiata* using cortical oleoresin monoterpenes. p. 50–56 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- BURDON, R.D., A. FIRTH, C.B. LOW, and M.A. MILLER. 1997b. Native provenances of *Pinus radiata* in New Zealand: performance and potential. *NZ Forest* 41:32–36.
- BURDON, R.D., R.E. GASKIN, C.B. LOW, and J.A. ZABKIEWICZ. 1992c. Clonal repeatability of monoterpene composition of cortical oleoresin of *Pinus radiata*. *NZ J For Sci* 22: 299–305.
- BURDON, R.D. and C.B. LOW. 1973. Effects of site expression of cone characters in radiata pine. *NZ J For Sci* 3:110–119.
- BURDON, R.D. and C.B. LOW. 1977. Variation in needle characters of *Pinus radiata* from mainland California. *NZ J For Sci* 7:16–20.
- BURDON, R.D., J.A. ZABKIEWICZ, and I.A. ANDREW. 1992d. Genetic survey of *Pinus radiata*. 8. Population differences in monoterpene composition of cortical oleoresin. *NZ J For Sci* 22:257–273.
- BUTCHER, T.B. and M.J.C. STUKELY. 1997. Variation in natural populations of *Pinus radiata* to resistance to *Phytophthora cinnamomi*. p. 105–107 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- BUTCHER, T.B., M.J.C. STUKELY, and G.W. CHESTER. 1984. Genetic variation in resistance of *Pinus radiata* to *Phytophthora cinnamomi*. *For Ecol Manage* 8:197–220.
- CALEPPC. 2001. California Exotic Pest Plant Council. URL: <http://caleppc.org>.
- CALIFORNIA GENE RESOURCES PROGRAM. 1982. Douglas-fir genetic resources: An assessment and plan for California. California Gene Resources Program, National Council on Gene Resources, Berkeley, CA USA.
- CALVERT, W.H. and L.P. BROWER. 1982. The importance of forest cover for the survival of overwintering monarch butterflies (*Danaus plexippus*, Danaidæ). *J Lepid Soc* 35: 216–225.
- CARPENTER, E.J. and R.E. STORIE. 1933. Soil survey of the San Luis Obispo area, California. U.S. Dept. Agr. Bur. Chem. and Soils No. 29, Series 1928.
- CARSON, H.L. 1990. Increased genetic variance after a population bottleneck. *Trends Ecol Evol* 5:228–230.
- CATO, S.A. and T.E. RICHARDSON. 1996. Inter- and intra-specific polymorphism at chloroplast SSR loci and the inheritance of plastids in *Pinus radiata* D. Don. *Theor Appl Genet* 93:587–592.
- CHAMBERS, S.M. 1995. Spatial structure, genetic variation, and the neighborhood adjustment to effective population size. *Conserv Biol* 9:1312–1315.
- CNPS. 1999. A petition to the State of California Fish and Game Commission: Monterey Pine. California Native Plant Society. Sacramento, CA USA.
- COBB, F.W. JR. and W.J. LIBBY. 1968. Susceptibility of Monterey, Guadalupe Island, Cedros Island, and bishop pines to *Scirrhia (Dothistroma) pini*, the cause of red band needle blight. *Phytopathology* 58:88–90.
- CONABIO. 2000. La Comisión Nacional para el Conocimiento y Uso de la Biodiversidad. URL: http://conabio_web.conabio.gob.mx.
- CONKLE, M.T. 1981. Isozyme variation and linkage in six conifer species. p. 11–17 *In*: M.T. CONKLE (ed.) *Isozymes of North American forest trees and forest insects*. Proceedings of a Symposium, July 1979, Berkeley, CA. USDA Forest

- Service, Pacific Southwest Forest and Range Experiment Station. Technical Report No. 48.
- CONKLE, M.T. 1987. Electrophoretic analysis of variation in native Monterey cypress (*Cupressus macrocarpa* Hartw.). p. 249–256 *In*: T.S. ELIAS (ed.) *Conservation and management of rare and endangered plants*. Proceedings of a California Conference on the Conservation and Management of Rare and Endangered Plants. California Native Plant Society. Sacramento, CA USA.
- COPES, D.L. 1981. Isozyme uniformity in western red cedar seedlings from Oregon and Washington. *Can J For Res* **11**:451–453.
- CORNUET, J.M. and G. LUIKART. 1997. Description and power analysis of two tests for detecting recent population bottlenecks from allele frequency data. *Genetics* **144**: 2001–2014.
- CORRIGAN, H., S. NAUPA, R. LIKIAFU, J. TUNGGON, C. SAM, L. KALAMOR, I. VIJI, L. MELE, and L. THOMSON. 2000a. A strategy for investigating, conserving, and managing the genetic resources of *Agathis silbæ* (Santo kauri). SPRIG Project/Department of Forests. Republic of Vanuatu.
- CORRIGAN, H., S. NAUPA, R. LIKIAFU, J. TUNGGON, C. SAM, I. VIJI, L. KALAMOR, L. MELE, S. WALKER, S. COLLINS, and L. THOMSON. 2000b. A strategy for conserving, managing, and better utilizing the genetic resources of *Endospermum medullosum* (whitewood). SPRIG Project/Department of Forests. Republic of Vanuatu.
- COTTERILL, P.P. 1984. A plan for breeding radiata pine. *Silva Genet* **33**: 84–90.
- CRITCHFIELD, W.B. 1967. Crossability and relationships of the California closed cone pines. *Silva Genet* **16**:89–97.
- CROMER, R.N., K.G. ELDRIDGE, D. TOMKINS, and N.J. BARR. 1982. Intraspecific variation in the response of *Pinus radiata* to saline waste water. *Aust For Res* **12**: 203–215.
- CROPPER, S.C. 1993. *Management of endangered plants*. CSIRO Publications. Victoria, Australia.
- CSIRO. 1999. Benefits from CSIRO research for the forestry, wood and paper industries sector: Impact analysis and evaluation. Commonwealth Scientific and Industrial Research Organization, Forestry and Forest Products. Canberra, Australia.
- CYLINDER, P.D. 1995. The Monterey ecological staircase and subtypes of Monterey pine forest. *Fremontia* **23**(1):7–13.
- DEVEY, M.E., J.C. BELL, D.N. SMITH, D.B. NEALE, and G.F. MORAN. 1996. A genetic linkage map of *Pinus radiata* based on RFLP, RAPD, and microsatellite markers. *Theor Appl Genet* **92**:673–679.
- DEVEY, M.E., M.M. SEWELL, T.L. UREN, and D.B. NEALE. 1999. Comparative mapping in loblolly and radiata pine using RFLP and microsatellite markers. *Theor Appl Genet* **99**:656–662.
- DE VRIES, S.M.G. and J. TOROK. 2001. Introduction. p. 5–15 *In*: F. LEFÈVRE, N. BARSOU, B. HEINZE, D. KAJBA, P. ROTACH, S.M. G. DE VRIES, and J. TUROK. EUFOR-GEN Technical Bulletin: *In situ* conservation of *Populus nigra*. International Plant Genetic Resources Institute, Rome, Italy.
- DHILLON, S.S. 1980. Nuclear volume, chromosome size and DNA content relationships in three species of *Pinus*. *Cytologia* **45**:555–560.
- DOAK, D.F. and L.S. MILLS. 1994. A useful role for theory in conservation. *Ecology* **75**:615–626.
- DVORAK, W.S. 1991. CAMCORE *Pinus radiata* seed collections in California in 1991. CAMCORE Project 40. CAMCORE, North Carolina State University. Raleigh, North Carolina.
- DVORAK, W.S. 1993. Recent advances in the testing and development of tropical and subtropical pine provenances from Mexico and Central America. p. 385–394 *In*: C.C. LAMBETH and W.S. DVORAK (eds.) Proc. IUFRO S2.02.-08 Breeding Tropical Trees. Cartagena & Cali, Colombia. October 9–18, 1992.
- DVORAK, W.S., A.P. JORDAN, G.R. HODGE, and J.L. ROMERO. 2000. Assessing evolutionary relationships of pines in the *Oocarpæ* and *Australes* subsections using RAPD markers. *New Forests* **20**:163–192.
- DWAF. 1996. Commercial timber resources and roundwood processing in South Africa 1994/95. Forestry Branch, Department of Water Affairs and Forestry, Pretoria, South Africa.
- ECHT, C.S., L.L. DEVERNO, M. ANZIDEI, and G.G. VENDRAMIN. 1998. Chloroplast microsatellites reveal population genetic diversity in red pine. *Pinus resinosa* Ait. *Mol Ecol* **7**:307–316.
- ELDRIDGE, K.G. 1978b. Refreshing the genetic resources of radiata pine plantations. Genetics Section Report No. 7. Commonwealth Scientific and Industrial Research Organization, Division of Forest Research. Canberra, Australia.
- ELDRIDGE, K.G. 1978a. Seed collections in California in 1978. p. 9–17 *In*: CSIRO Division of Forest Research Annual Report 1977–78. Commonwealth Scientific and Industrial Research Organization. Canberra, Australia.
- ELDRIDGE, K.G. 1985. Southern Tree Breeding Association Working Plan No. 1. A technical report of the Southern Tree Breeding Association. Canberra, Australia.
- ELDRIDGE, K.G. 1996. *Ex situ* conservation reserve of the Guadalupe Island population of *Pinus radiata* D. Don. p. 43 *In*: ROGERS, D.L. and F.T. LEDIG (eds.) *The status of temperate North American forest genetic resources*. Genetic Resources Conservation Program. Report No. 16. University of California. Davis, CA USA.
- ELDRIDGE, K.G. 1997. Genetic resources of radiata pine in New Zealand and Australia. p. 26–41 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- ELDRIDGE, K.G. 1998a. Californian radiata pine seed in CSIRO store: What to do with it? Client Report No. 389. Commonwealth Scientific and Industrial Research Organization, Forestry and Forest Products. Canberra, Australia.
- ELDRIDGE, K.G. 1998b. Australian Radiata provenance trials:

- An annotated catalogue of Australian provenance trials and genetic conservation plantings of *Pinus radiata* of Californian origin. Australian Tree Seed Centre Internal Report No. 416. Commonwealth Scientific and Industrial Research Organization, Forestry and Forest Products, Canberra, Australia.
- ELDRIDGE, K.G. 2002. Conservation of genetic resources of radiata pine: CSIRO role. Divisional Report No. 180. Commonwealth Scientific and Industrial Research Organization, Forestry and Forest Products, Canberra, Australia.
- ENDLER, J., S. MAZER, M. WILLIAMS, C. SANDOVAL, and W. FERREN. 2000. Problems associated with introductions of non-native genotypes in NRS reserves. Report from the Committee to Evaluate Introduction of Exotic Genotypes into UC Reserves. URL: http://nrs.ucop.edu/info/problems_associated_with_introdu.htm.
- EPPELSON, B.K. and T.-Q. LI. 1997. Gene dispersal and spatial genetic structure. *Evolution* 51:672–681.
- ERIKSSON, G., G. NAMKOONG, and J. ROBERDS. 1993. Dynamic conservation of forest genetic resources. *For Genet Res (FAO)* 23:2–8.
- ESPINEL, S., A. ARAGONÉS, and E. RITTER. 1995. Performance of different provenances and of the local population of the Monterey pine (*Pinus radiata* D. Don) in northern Spain. *Ann Sci Forestier* 52:515–519.
- EZCURRA, E. 2002. Biological conservation in Mexico: An overview. p. 731–740 *In*: D.J. Rapport, W.L. Lasley, D.E. Rolston, N.O. Nielsen, C.O. Qualset, and A.B. Damania (eds.) *Managing for healthy ecosystems*. Lewis Publishers, CRC Press. Boca Raton, FL USA.
- FALKENHAGEN, E.R. 1991. Provenance variation in *Pinus radiata* at six sites in South Africa. *Silva Genet* 40:41–50.
- FAO. 1986. Databook on endangered tree and shrub species and provenances. FAO Forestry Paper No. 77. Food and Agriculture Organization of the United Nations. Rome, Italy.
- FAO. 1994. Report of the Eighth Session of the FAO Panel of Experts on Forest Gene Resources, June 28–30, 1993. Food and Agriculture Organization of the United Nations. Rome, Italy.
- FARJON, A. and B.T. STYLES. 1997. *Pinus* (Pinaceae). Flora Neotropica Monograph 75. The New York Botanical Gardens. New York, NY USA.
- FIELDING, J.M. 1947. The seeding and natural regeneration of Monterey pine in South Australia. Forestry and Timber Bureau. Bulletin No. 29. Commonwealth Government Printer, Canberra, Australia.
- FIELDING, J.M. 1957a. Notes on the dispersal of pollen by Monterey pine. *Aust For* 21:17–22.
- FIELDING, J.M. 1957b. The introduction of *Pinus radiata* to Australia. *Aust For* 21:15–16.
- FIELDING, J.M. 1961. The pines of Cedros Island, Mexico. *Aust For* 25:62–65.
- FINS, L. and W.J. LIBBY. 1982. Population variation in *Sequoiadendron*: Seed and seedling studies, vegetative propagation, and isozyme variation. *Silva Genet*: 31:102–109.
- FISHER, P.J., R.C. GARDNER, and T.E. RICHARDSON. 1996. Single locus microsatellites isolated using 5' anchored PCR. *Nucleic Acids Res* 24:4369–4371.
- FORDE, M.B. 1964a. Inheritance of turpentine composition in *Pinus attenuata* × *radiata* hybrids. *NZ J Bot* 2:53–59.
- FORDE, M.B. 1964b. Variation in natural populations of *Pinus radiata* in California. Part 1. Sampling methods and branch characters. *NZ J Bot* 2:213–236.
- FORDE, M.B. 1964c. Variation in natural populations of *Pinus radiata* in California. Part 2. Needle characters. *NZ J Bot* 2:237–257.
- FORDE, M.B. 1966. *Pinus radiata* in California. *NZ J For* 11: 20–42.
- FRANKEL, O.J. and M.E. SOULÉ. 1981. *Conservation and evolution*. Cambridge University Press. Cambridge, UK.
- FRANKLIN, I.R. 1980. Evolutionary change in small populations. p. 135–149 *In*: M.E. SOULÉ and B.A. WILCOX (eds.) *Conservation biology: An evolutionary-ecological perspective*. Sinauer Associates. Sunderland, MA USA.
- FURMAN, B.J., D. GRATAPAGLIA, W.S. DVORAK, and D.M. O'MALLEY. 1997. Analysis of genetic relationships of Central American and Mexican pines using RAPD markers that distinguish species. *Mol Ecol* 6:321–331.
- FURNIER, G.R. and W.T. ADAMS. 1986. Geographic patterns of allozyme variation in Jeffrey pine. *Am J Bot* 73: 1009–1015.
- GASCON, C., G.B. WILLIAMSON, and G.A.B. DA FONSECA. 2000. Receding forest edges and vanishing reserves. *Science* 288:1356–1358.
- GLADSTONE, W.T. and F.T. LEDIG. 1990. Reducing pressure on natural forests through high-yield forestry. *For Ecol Manage* 35:69–78.
- GORDON, T.R., K.R. WIKLER, S.L. CLARK, D. OKAMOTO, A.J. STORER, and P. BONELLO. 1998. Resistance to pitch canker disease, caused by *Fusarium subglutinans* f. sp. *pini*, in Monterey pine (*Pinus radiata*). *Plant Pathol* 47: 706–711.
- GRAUDAL, L., E. D. KJÆR, and S. CANGER. 1995. A systematic approach to the conservation of genetic resources of trees and shrubs in Denmark. *For Ecol Manage* 73:117–134.
- GRAUDAL, L., E. KJÆR, A. THOMSEN, and A.B. LARSEN. 1997. Planning national programmes for conservation of forest genetic resources. Technical note 48. Danish International Development Agency (DANIDA) Forest Seed Centre. Denmark.
- GRAY, E.T. 1925. *Cross trails and chaparral*. The Seven Arts Press. Carmel, CA USA.
- GREGORIUS, H.-R. 1980. The probability of losing an allele when diploid genotypes are sampled. *Biometrics* 36: 643–652.
- GREGORIUS, H.-R. and J.R.G. KLEINSCHMIT. 1999. The environmental dichotomy of adaptation and the role of genetic diversity. *Silva Genet* 48:193–199.
- GREENLEE, J.M. and J.H. LANGENHEIM. 1990. Historic fire regimes and their relation to vegetation patterns in the Monterey Bay areas of California. *Am Midl Nat* 124: 239–253.
- GRIFFIN, J.R. and W.B. CRITCHFIELD. 1972. The distribution of forest trees in California. Pacific Southwest Forest

- and Range Experiment Station Report No. 82. USDA Forest Service. Berkeley, CA USA.
- GRIFFIN, A.R. and D. LINDGREN. 1985. Effect of inbreeding on production of filled seed in *Pinus radiata*—experimental results and a model of gene action. *Theor Appl Genet* 71:334–343.
- GUERRANT, E.O. and B.M. PAVLIK. 1997. Reintroduction of rare plants: genetics, demography, and the role of *ex situ* conservation methods. p. 80–108 *In*: P.L. FIEDLER and P.M. KAREIVA. *Conservation biology for the coming decade*. Second edition. Chapman and Hall. New York, NY USA.
- GUNTER, L.E., G.A. TUSKAN, C.A. GUNDERSON, and R.J. NORBY. 2000. Genetic variation and spatial structure in sugar maple (*Acer saccharum* Marsh.) and implications for predicted global-scale environmental change. *Global Change Biol* 6:335–344.
- HALL, A.V., M. DE WINTER, B. DE WINTER, and S.A.M. VAN OOSTERHOUT. 1980. Threatened plants of southern Africa. CISR. Pretoria, South Africa.
- HALL, S.E., W.S. DVORAK, J.S. JOHNSTON, H.J. PRICE, and C.G. WILLIAMS. 2000. Flow cytometric analysis of DNA content for tropical and temperate New World pines. *Ann Bot* 86:1081–1086.
- HAMILTON, M.B. 1994. *Ex situ* conservation of wild plant species: Time to reassess genetic assumptions and implications of seed banks. *Conserv Biol* 8:39–49.
- HAMRICK, J.L. 1983. The distribution of genetic variation within and among natural plant populations. p. 335–348 *In*: C.M. SCHONEWALD-COX, S.M. CHAMBERS, B. MACBRYDE, and L. THOMAS (eds.) *Genetics and conservation*. Benjamin-Cummings. London, UK.
- HAMRICK, J.L. 1987. Gene flow and distribution of genetic variation in plant populations. p. 53–67 *In*: K.M. URBANSKA (ed.) *Differentiation patterns in higher plants*. Academic Press. London, UK.
- HAMRICK, J.L. and M.J.W. GODT. 1989. Allozyme diversity in plant species. p. 43–63 *In*: A.H.D. BROWN, M.T. CLEGG, A.L. KAHLER, and B.S. WEIR (eds.) *Plant population genetics, breeding and genetic resources*. Sinauer Associates, Inc. Sunderland, MA USA.
- HAMRICK, J.L., Y.B. LINHART, and J.B. MITTON. 1979. Relationships between life history characteristics and electrophoretically detectable genetic variation in plants. *Annu Rev Ecol Syst* 10:173–200.
- HAMRICK, J.L., D.A. MURAWSKI, and J.D. NASON. 1993. The influence of seed dispersal mechanisms on the genetic structure of tropical tree populations. *Vegetatio* 107: 281–297.
- HANSKI, I., A. MOILANEN, and M. GYLLENBERG. 1996. Minimum viable metapopulation size. *Am Nat* 147:527–541.
- HARRISON, C.M. 1980. Phenetic affinities in *Pinus attenuata* Lemm. × *P. radiata* D. Don. hybrids. Ph.D. Dissertation, University of Idaho, Moscow, ID USA.
- HARRISON, R.G. 1990. Hybrid zones: Windows on evolutionary process. p. 69–128 *In*: D. FUTUYMA and J. ANTONOVICS (eds.) *Oxford surveys in evolutionary biology*. Oxford University Press. New York, NY USA.
- HARRISON, S. 1991. Local extinction in a metapopulation context: An empirical evaluation. *Biol J Linn Soc* 42: 73–88.
- HARRISON, S. 1994. Metapopulations and conservation. p. 111–128 *In*: P.J. EDWARDS, R.M. MAY, and N.R. WEBB (eds.) *Large-scale ecology and conservation biology*. Blackwell Scientific. Oxford, UK.
- HARRISON, S. and A. HASTINGS. 1996. Genetic and evolutionary consequences of metapopulation structure. *Trends Ecol Evol* 11:180–183.
- HARRY, D.E. 1984. Genetic structure of incense-cedar (*Calocedrus decurrens*). Ph.D. dissertation, University of California, Berkeley, CA USA.
- HASTINGS, A. and S. HARRISON. 1994. Metapopulation dynamics and genetics. *Annu Rev Ecol Syst* 25:167–188.
- HAWKES, J.G., N. MAXTED, and D. ZOHARY. 1997. Reserve design. p. 132–143 *In*: N. MAXTED, B.V. FORD-LLOYD, and J.G. HAWKES (eds.) *Plant genetic conservation: The in situ approach*. Chapman and Hall. London, UK.
- HEINZE, B. and F. LEFÈVRE. 2000. *In situ* restoration genetics of riparian populations of *P. nigra*. p. 25–35 *In*: F. LEFÈVRE, N. BARSOUM, B. HEINZE, D. KAJBA, P. ROTACH, S.M. G. DE VRIES, and J. TUROK. EUFORGEN Technical Bulletin: *In situ* conservation of *Populus nigra*. International Plant Genetic Resources Institute, Rome, Italy.
- HELLIN, J.J. and C.E. HUGHES. 1993. *Leucena Salvadorensis*: Conservation and utilisation in Central America. ESNACIFOR Numero 39–21/93. Honduras.
- HESS, G.R. 1996. Linking extinction to connectivity and habitat destruction in metapopulation models. *Am Nat* 148:226–236.
- HIEBERT, R.D. and J.L. HAMRICK. 1983. Patterns and levels of genetic variation in Great Basin bristlecone pine, *Pinus longeva*. *Evolution* 37:302–310.
- HILLYARD, D. 1997. Challenges of conserving Monterey pine forest. *Fremontia* 25(2):16–20.
- HILTON-TAYLOR, C. (compiler). 2000. *IUCN Red list of threatened species*. International Union for Conservation of Nature and Natural Resources. Gland, Switzerland and Cambridge, UK.
- HOAGLAND, K.E. 1996. The taxonomic impediment and the Convention on Biodiversity. *Assoc Syst Coll Newsl* 24: 61–62, 66–67.
- HODGE, G.R. and W.S. DVORAK. 2000. Differential responses of Central American and Mexican pine species and *Pinus radiata* to infection by the pitch canker fungus. *New Forests* 19:241–258.
- HOLSINGER, K.E. and L.D. GOTTLIEB. 1991. Conservation of rare and endangered plants: Principles and prospects. p. 195–208 *In*: D.A. FALK and K.E. HOLSINGER (eds.) *Genetics and conservation of rare plants*. Oxford University Press. New York, NY USA.
- HONG, Y.P., V.D. HIPKINS, and S.H. STRAUSS. 1993. Chloroplast DNA diversity among trees, populations, and species in the California closed-cone pines (*Pinus radiata*, *P. muricata*, and *P. attenuata*). *Genetics* 135:1187–1196.
- HONG, Y.P. B. PONOY, and J.E. CARLSON. 1995. Genetic diversity and phylogeny in Douglas-fir based on RFLP and

- RAPD (DAF) analysis of nuclear, chloroplast, and mitochondrial genomes. p. 247–266 *In*: P. BARADAT, W.T. ADAMS, and G. MÜLLER-STARCK. (eds.) *Population genetics and genetic conservation of forest trees*. SPB Academic Publishing. Amsterdam, The Netherlands.
- HOOD, J.V. and W.J. LIBBY. 1980. A clonal study of intraspecific variability in radiata pine: I. Cold and animal damage. *Aust For Res* 10:9–20.
- HUFFMAN AND ASSOCIATES, INC. 1994. An evaluation of California's native Monterey pine populations and the potential for sustainability. Report to the Pebble Beach Company. Huffman and Associates, Inc. Larkspur, CA USA.
- HUTCHISON, D.W. and A.R. TEMPLETON. 1999. Correlation of pairwise genetic and geographic distance measures: Inferring the relative influences of gene flow and drift on the distribution of genetic variability. *Evolution* 53: 1898–1914.
- HUXEL, G.R. and A. HASTINGS. 1999. Habitat loss, fragmentation, and restoration. *Restor Ecol* 7:309–315.
- JAYQUISH, B. and Y.A. EL-KASSABY. 1998. Genetic variation of western larch in British Columbia and its conservation. *J Hered* 89:248–253.
- JAYAWICKRAMA, K.J.S. and C. BALOCCHI. 1993. Growth and form of provenances of *Pinus radiata* in Chile. *Aust For* 56:172–178.
- JAYAWICKRAMA, K.J.S., M.J. CARSON, P.A. JEFFERSON, and A. FIRTH. 1997. Development of the New Zealand radiata pine breeding population. p. 217–225 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- JENSEN, H.A. 1939. Vegetation types and forest conditions of the Santa Cruz Mountains unit of California. US Forest Service, California Forest and Range Experiment Station Forest Survey Rep. 1.
- JOHNSON, I.G., P.K. ADES, and K.G. ELDRIDGE. 1997. Growth of natural Californian provenances of *Pinus radiata* in New South Wales, Australia. *NZ J For Sci* 27: 23–38.
- JONES & STOKES ASSOCIATES, INC. 1994a. The Monterey pine forest ecological assessment: historical distribution, ecology, and current status of Monterey pine. A report prepared for the California Department of Fish and Game. Jones & Stokes Associates, Inc. Sacramento, CA USA.
- JONES & STOKES ASSOCIATES, INC. 1994b. The Monterey ecological staircase: the nature of vegetation and soils on different geomorphic surfaces of the Monterey peninsula with an emphasis on Monterey pine forest. September 12. (JSA 94-083.) Sacramento, CA. Prepared for California Department of Fish and Game. Jones & Stokes Associates, Inc. Sacramento, CA USA.
- JONES & STOKES ASSOCIATES, INC. 1996. Monterey pine forest conservation strategy report. A report prepared for the California Native Plant Society and the California Department of Fish and Game. Jones & Stokes Associates, Inc. Sacramento, CA USA.
- JORGENSEN, S.M. and J.L. HAMRICK. 1997. Biogeography and population genetics of whitebark pine, *Pinus albicaulis*. *Can J For Res* 27:1574–1585.
- KAFTON, D. 1985. Conservation of endangered Monterey cypress and Monterey pine: A proposal. The National Council on Gene Resources. Berkeley, CA USA.
- KANOWSKI, P. and D. BOSHER. 1997. Conserving the genetic resources of trees *in situ*. p. 207–219 *In*: N. MAXTED, B.V. FORD-LLOYD, and J.G. HAWKES (eds.) *Plant genetic conservation: The in situ approach*. Chapman and Hall. London, UK.
- KAPPELLE, M., M.M.I. VAN VUUREN, and P. BAAS. 1999. Effects of climate change on biodiversity: A review and identification of key research issues. *Biodivers Conserv* 8: 1383–1397.
- KILMER, F.H. 1977. Reconnaissance geology of Cedros Island, Baja California, Mexico. *South Ca Acad Sci Bull* 76:91–98.
- KINLOCH, B.B. 1992. Distribution and frequency of a gene for resistance to white pine blister rust in natural populations of sugar pine. *Can J Bot* 70:1319–1323.
- KINLOCH, B.B. and G.E. DUPER. 1987. Restricted distribution of a virulent race of the white pine blister rust pathogen in the western United States. *Can J For Res* 17: 448–451.
- KOSKI, F.T.V. 1991. Preservation of genetic resources of forest trees in Finland. Internal report. Finnish Forest Research Institute. Vantaa, Finland.
- KOSKI, F.T.V., T. SKRØPPA, L. PAULE, H. WOLF, and J. TUROK. 1997. Technical guidelines for genetic conservation of Norway spruce (*Picea abies* (L.) Karst.). International Plant Genetic Resources Institute. Rome, Italy.
- KRUGMAN, S.L. and J.L. JENKINSON. 1974. *Pinus* L. Pine. p. 598–638 *In*: S.C. SCHOPMEYER (ed.) *Seeds of woody plants in the United States*. USDA Forest Service Agricultural Handbook 450. Washington, DC USA.
- KRUPKIN, A.B., A. LISTON, and S.H. STRAUSS. 1996. Phylogenetic analysis of the hard pines (*Pinus* subgenus *Pinus*, Pinaceae) from chloroplast DNA restriction site analysis. *Am J Bot* 83:489–498.
- KUANG, H. T.E. RICHARDSON, S.D. CARSON, and B.C. BONGARTEN. 1998. An allele responsible for seedling death in *Pinus radiata* D. Don. *Theor Appl Genet* 96: 640–644.
- LACEY, R.C. 1987. Loss of genetic diversity from managed populations: Interacting effects of drift, mutation, immigration, selection and population subdivision. *Conserv Biol* 1:143–158.
- LANDE, R. 1987. Extinction thresholds in demographic models of territorial populations. *Am Nat* 130:624–635.
- LANDE, R. 1988. Genetics and demography in biological conservation. *Science* 241:1455–1460.
- LANDE, R. 1995. Mutation and conservation. *Conserv Biol* 9: 782–791.
- LANE, J. 1985. California's monarch butterfly trees. *Pac Discovery* 38:13–15.
- LANNER, R.M. 1998. Seed dispersal in *Pinus*. p 281–294. *In*:

- D.M. RICHARDSON (ed.) *Ecology and biogeography of Pinus*. Cambridge University Press. Cambridge, UK.
- LAVERY, P.B. and D.J. MEAD. 1998. *Pinus radiata*: A narrow endemic from North America takes on the world. p. 432–449 In: D.M. RICHARDSON (ed.) *Ecology and biogeography of Pinus*. Cambridge University Press. Cambridge, UK.
- LEDIG, F.T. 1988. The conservation of diversity in forest trees. *BioScience* 38:471–479.
- LEDIG, F. T. 1991. Secret extinctions: The loss of genetic diversity in forest ecosystems. p. 127–140 In: FENGER, M.A., E.H. MILLER, J.A. JOHNSON, and E.J.R. WILLIAMS (eds.) *Our living legacy*. Proc. Symposium on Biological Diversity. Victoria, BC Canada.
- LEDIG, F.T. 1992. Human impacts on genetic diversity in forest ecosystems. *Oikos* 63:87–108.
- LEDIG, F.T. 1998. Genetic variation in *Pinus*. p. 251–280 In: D.M. RICHARDSON (ed.) *Ecology and biogeography of Pinus*. Cambridge University Press. Cambridge, UK.
- LEDIG, F.T., J. Jesús VARGAS-HERNÁNDEZ, and K.H. JOHNSON. 1998. The conservation of forest genetic resources: Case histories from Canada, Mexico, and the United States. *J Forest* 96:32–41.
- LEDIG, F.T. and M.T. CONKLE. 1983. Genic diversity and genetic structure in a narrow endemic, Torrey pine (*Pinus torreyana* Parry ex Carr.). *Evolution* 37:79–85.
- LEFÈVRE, F. N. BARSOUM, B. HEINZE, D. KAJBA, P. ROTACH, S.M. G. DE VRIES, and J. TUROK. 2001. EUFORGEN Technical Bulletin: *In situ* conservation of *Populus nigra*. International Plant Genetic Resources Institute, Rome, Italy.
- LEIGH, J.H., J.D. BRIGGS, and W. HARTLEY. 1984. *Extinct and endangered plants of Australia*. Macmillan Publishers. Melbourne, Australia.
- LEONG, K.L.H. 1990. Microenvironmental factors associated with the winter habitat of the monarch butterfly (Lepidoptera: Danaidae) in central California. *Ann Entomol Soc Am* 83:906–910.
- LESICA, P. and F.W. ALLENDORF. 1995. When are peripheral populations valuable for conservation? *Conserv Biol* 9: 753–760.
- LEVINS, R. 1969. Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bull Entomol Soc Am* 15:237–240.
- LEWANDOWSKI, A., J. BURCZYK, and L. MEJNARTOWICZ. 1995. Genetic structure of English yew (*Taxus baccata* L.) in the Wierchlas Reserve: Implications for genetic conservation. *For Ecol Manage* 73:221–227.
- LIBBY, W.J. 1973. Domestication strategies for forest trees. *Can J For Res* 3:265–276.
- LIBBY, W.J. 1978. The 1978 expedition to collect radiata seed from Cedros and Guadalupe Islands. IUFRO Working Party Newsletter No. 2, October, 1978, 9–12.
- LIBBY, W.J. 1990. Genetic conservation of radiata pine and coast redwood. *For Ecol Manage* 35:109–120.
- LIBBY, W.J. 1995. Native Monterey pine and domesticated radiata pine. *Fremontia* 23(1):24–28.
- LIBBY, W.J. 1997. Native origins of domesticated radiata pine. p. 9–21 In: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- LIBBY, W.J., M.H. BANNISTER, and Y.B. LINHART. 1968. The pines of Cedros and Guadalupe Islands. *J Forest* 66: 846–852.
- LILL, B.S. 1976. Ovule and seed development in *Pinus radiata*: Postmeiotic development, fertilization, and embryogeny. *Can J Bot* 54:2141–2154.
- LILL, B.S. and G.B. SWEET. 1977. Pollination in *Pinus radiata*. *NZ J For Sci* 7:21–34.
- LINDSAY, A.D. 1932. Monterey pine (*Pinus radiata* D. Don) in its native habitat. Bulletin No. 10, Commonwealth Forestry Bureau Report. Commonwealth Government Printer. Canberra, Australia.
- LINHART, Y.B. 1978. Maintenance of variation in cone morphology in California closed-cone pines: The role of fire, squirrels, and seed output. *Southwest Nat* 23:29–40.
- LITTLE, L.E. and W.B. CRITCHFIELD. 1969. Subdivisions of the genus *Pinus*. US For. Serv. Misc. Publ. No. 1144.
- LUIKART, G. F.W. ALLENDORF, J.-M. CORNUET, and W.B. SHERWIN. 1998. Distortion of allele frequency distributions provides a test for recent population bottlenecks. *J Hered* 89:238–247.
- MACE, G.M. and R. LANDE. 1991. Assessing extinction threats: Toward a reevaluation of IUCN threatened species categories. *Conserv Biol* 5:148–157.
- MANGEL, M. and C. TIER. 1994. Four facts every conservation biologist should know about persistence. *Ecology* 75: 607–614.
- MATHESON, A.C. 1980. Unexpectedly high frequencies of outcrossed seedlings among offspring from mixtures of self and cross pollen in *Pinus radiata* D. Don. *Aust For Res* 10:21–27.
- MATHESON, A.C. and A.G. BROWN (eds.). 1983. *Radiata pine breeding manual*. CSIRO. Canberra, Australia.
- MATHESON, A.C., D.J. SPENCER, J.G. NYAKUENGAMA. 1997. Breeding for wood properties in radiata pine. p. 169–179 In: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- MATTHEWS, M.A. and N. NEDEFF. 1995. California's native Monterey pine forest: Can it be saved? *Fremontia* 23(1): 3–6.
- MCBRIDE, J.R. and E.C. STONE. 1976. Plant succession on the sand dunes of the Monterey Peninsula, California. *Am Midl Nat* 96:118–132.
- MCCAIN, A.H., C.S. KOEHLER, and S.A. TJSVOLD. 1987. Pitch canker threatens California pines. *Calif Agric* 41: 22–23.
- MCCHESNEY, G.J. and B.R. TERSHY. 1998. History and status of introduced mammals and impacts to breeding seabirds on the California Channel and Northwestern Baja California Islands. *Colon Waterbirds* 21:335–347.
- MCDONALD, B.A. and J.M. MCDERMOTT. 1993. Population genetics of plant pathogenic fungi. *BioScience* 43:311–319.

- McDONALD, J.B. 1959. An ecological study of Monterey pine in Monterey County, California. M.S. thesis. University of California, Berkeley, CA.
- McDONALD, P.M. and R.J. LAACKE. 1990. *Pinus radiata* D. Don. p. 433–441. In: *Silvics of North America: Conifers*. USDA Forest Service Handbook No. 654.
- MILLAR, C.I. 1983. A steep cline in *Pinus muricata*. *Evolution* 37:311–319.
- MILLAR, C.I. 1986. The California closed cone pines (subsection *Oocarpæ*): A taxonomic history and review. *Taxon* 35:657–670.
- MILLAR, C.I. 1989. Allozyme variation of bishop pine associated with pygmy-forest soils in northern California. *Can J For Res* 19:870–879.
- MILLAR, C.I. 1993. Impact of the Eocene on the evolution of *Pinus* L. *Ann Mo Bot Gard* 80:471–498.
- MILLAR, C.I. 1998a. Early evolution of pines. p. 69–84 In: D.M. RICHARDSON (ed.) *Ecology and biogeography of Pinus*. Cambridge University Press. Cambridge, UK.
- MILLAR, C.I. 1998b. Reconsidering the conservation of Monterey pine. *Fremontia* 26(3):12–16.
- MILLAR, C.I. 1999a. Evolution and biogeography of *Pinus radiata*, with a proposed revision of its Quaternary history. *NZ J For Sci* 29:335–365.
- MILLAR, C.I. 1999b. Genetic diversity. p. 460–494 In: M.L. HUNTER, Jr., (ed.) *Maintaining biodiversity in forest ecosystems*. Cambridge University Press. Cambridge, UK.
- MILLAR, C.I. and B.K. KINLOCH. 1991. Taxonomy, phylogeny, and coevolution of pines and their stem rusts. p. 1–38 In: Y. HIRATSUKA, J. SAMOIL, P. BLENIS, P. CRANE, and B. LAISHLEY (eds.) *Proceedings of the IUFRO Rusts of Pines Conference*, Sept. 18–22, 1989, Banff, Alberta, Canada. Canadian Forest Service.
- MILLAR, C.I. and K.A. MARSHALL. 1991. Allozyme variation of Port-Orford-Cedar (*Chamaecyparis lawsoniana*): Implications for genetic conservation. *For Sci* 37:1060–1077.
- MILLAR, C.I., S.H. STRAUSS, M.T. CONKLE, and R.D. WESTFALL. 1988. Allozyme differentiation and biosystematics of the Californian closed-cone pines (*Pinus* subsect. *Oocarpæ*). *Syst Bot* 13:351–370.
- MITTON, J.B. 1995. Genetics and the physiological ecology of conifers. p. 1–36 In: W.K. SMITH and T.M. HINCKLEY (eds.) *Ecophysiology of coniferous forests*. Academic Press. New York, NY USA.
- MONTALVO, A.M. and N.C. ELLSTRAND. 2001. Nonlocal transplantation and outbreeding depression in the subshrub *Lotus scoparius* (Fabaceae). *Am J Bot* 88:258–269.
- MORAN, R. 1996. The flora of Guadalupe Island, Mexico. *Memoirs of the California Academy of Sciences* No. 19. California Academy of Sciences, San Francisco, CA.
- MORAN, R. 1998. Guadalupe Island and its flora. *Fremontia* 26(3):3–11.
- MORAN, G.F. and J.C. BELL. 1987. The origin and genetic diversity of *Pinus radiata* in Australia. *Theor Appl Genet* 73:616–622.
- MORAN, G.F., J.C. BELL, and K.G. ELDRIDGE. 1988. The genetic structure and the conservation of the five natural populations of *Pinus radiata*. *Can J For Res* 18:506–514.
- MOURADOV, A. and R.D. TEASDALE. 1999. Genetic engineering of reproductive incompetence in radiata pine. *Protoplasma* 208:13–17.
- MURPHY, T.M. 1981. Immunochemical comparisons of seed proteins from populations of *Pinus radiata* (Pinaceae). *Am J Bot* 68:254–259.
- MURRAY, B. Nuclear DNA amounts in gymnosperms. *Ann Bot* 82:3–5.
- MURRAY, B.J., I.J. LEITCH, and M.D. BENNETT. 2001. Gymnosperm DNA c-values database (Release 1.0, Sept. 2001). URL: <http://www.rbgekew.org.uk/cval/homepage.html>.
- NASON, J.D. and J.L. HAMRICK. 1997. Reproductive and genetic consequences of forest fragmentation: Two case studies of neotropical canopy trees. *J Hered* 88:264–276.
- NEALE, D.B. and R.R. SEDEROFF. 1989. Paternal inheritance of chloroplast DNA and maternal inheritance of mitochondrial DNA in loblolly pine. *Theor Appl Genet* 77:212–216.
- NEI, M. 1973. Analysis of gene diversity in subdivided populations. *Proc Natl Acad Sci USA* 70:3321–3323.
- NEI, M. 1986. Definition and estimation of fixation indices. *Evolution* 40:643–645.
- NEI, M., T. MARUYAMA, and R. CHAKRABORTY. 1975. The bottleneck effect and genetic variability in populations. *Evolution* 29:1–10.
- NEWCOMB, G.B. 1962. Geographic variation in *Pinus attenuata* Lemm. Ph.D. Dissertation. University of California, Berkeley, CA USA.
- NIEBLING, C.R. and M.T. CONKLE. 1990. Diversity of Washoe pine and comparisons with allozymes of ponderosa races. *Can J For Res* 20:298–308.
- NICHOLLS, J.W.P. and K.G. ELDRIDGE. 1980. Variation in some wood and bark characteristics in provenances of *Pinus radiata* D. Don. *Aust For Res* 10:321–325.
- NILSSON, C. and G. GRELSSON. 1995. The fragility of ecosystems: A review. *J Appl Ecol* 32:677–692.
- NOSS, R.F. 2001. Beyond Kyoto: Forest management in a time of rapid climate change. *Conserv Biol* 15:578–590.
- NOSS, R.F., M.A. O'CONNELL, and D.D. MURPHY. 1997. *The science of conservation planning: Habitat conservation under the Endangered Species Act*. Island Press. Washington, DC USA.
- NOWAK, D.J. and J.R. MCBRIDE. 1991. Comparison of Monterey pine stress in urban and natural forests. *J Environ Manage* 32:383–395.
- NUNNEY, L. and K.A. CAMPBELL. 1993. Assessing minimum viable population size: Demography meets population genetics. *Trends Ecol Evol* 8:234–239.
- OBERBAUER, T. 1986. Baja California's Pacific Island jewels. *Fremontia* 14(1):3–5.
- OFFORD, H.R. 1964. Diseases of Monterey pine in native stands of California and in plantations of western North America. USDA Forest Service Research Paper PSW-14, Berkeley, CA USA.
- OHMART, C.P. 1979. The within-tree distributions of *Ips paraconfusus* (Coleoptera: Scolytidae) and its insect associates in Monterey pine (*Pinus radiata*). *Ann Entomol Soc*

- Am* 72:607–609.
- OHMART, C.P. 1981. An annotated list of insects associated with *Pinus radiata* D. Don in California. Divisional Report No. 8. Commonwealth Scientific and Industrial Research Organization, Division of Forest Research, Canberra, Australia.
- OHMART, C.P. and W.B. VOIGHT. 1981. Arthropod communities in the crowns of the natural and planted stands of *Pinus radiata* (Monterey pine) in California. *Canad Entomol* 113:673–684.
- OLD, K.M. 1979. Pathology of radiata pine in California: Detailed internal report on a study tour June to September 1979. Commonwealth Scientific and Industrial Research Organization, Division of Forest Research, Canberra, Australia.
- OLD, K.M. 1981. Western gall rust, a serious disease of *Pinus radiata* in California. *Aust For* 44:178–184.
- OLD, K.M., W.J. LIBBY, J.H. RUSSELL, and K.G. ELDRIDGE. 1986. Genetic variability and susceptibility of *Pinus radiata* to western gall rust. *Silva Genet* 35:145–149.
- ORNDUFF, R. and V. NORRIS. 1997. Rebirth of a bishop pine forest: First year after the Mount Vision fire. *Fremontia* 25(3):22–28.
- ORR, H.A. and S. IRVING. 1997. The genetics of adaptation: The genetic basis of resistance to wasp parasitism in *Drosophila melanogaster*. *Evolution* 51:1877–1885.
- ORR, R.M. 1998. Wildfire history for San Simeon District. Internal Report. California Department of Parks and Recreation.
- OWEN, D.R. 1998. Health concerns for California's native Monterey pine forests. *Fremontia* 26(3):17–19.
- OWEN, D. and D. ADAMS. 1999. Overview of pitch canker in California. p. 21–23 In: M. DEVEY, C. MATHESON, and T. GORDON (eds.) *Current and potential impacts of pitch canker in radiata pine*. Proceedings of the IMPACT Monterey Workshop, Monterey, California, November 30 to December 3, 1998. Forestry and Forest Products Technical Report No. 112. Commonwealth Scientific and Industrial Research Organization, Forestry and Forest Products. Canberra, Australia.
- PAWSEY, C.K. 1964. Inbreeding in radiata pine. For. Timb. Bur. Leaf. No. 87. Commonwealth Government Printer, Canberra, Australia.
- PEDERICK, L.A. 1967. The structure and identification of the chromosomes of *Pinus radiata* D. Don. *Silva Genet* 16: 69–77.
- PEDERICK, L.A. 1970. Chromosome relationships between *Pinus* species. *Silva Genet* 19:171–180.
- PERRY, J.P., Jr. 1991. *The pines of Mexico and Central America*. Timber Press. Portland, OR USA.
- PETERS, R.L. 1990. Effects of global warming on forests. *For Ecol Manage* 35:13–33.
- PLESSAS, M.E. and S.H. STRAUSS. 1986. Allozyme differentiation among populations, stands, and cohorts in Monterey pine. *Can J For Res* 16:1155–1164.
- PLUCKNETT, D.L. and M.E. HORNE. 1992. Conservation of genetic resources. *Agric Ecosyst Environ* 42:75–92.
- PORTER, A.H. 1999. Refugees from lost habitat and reorganization of genetic population structure. *Conserv Biol* 13: 850–859.
- PRICE, R.A., A. LISTON, and S.H. STRAUSS. 1998. Phylogeny and systematics of *Pinus*. p.49–68 In: D.M. RICHARDSON (ed.) *Ecology and biogeography of Pinus*. Cambridge University Press. Cambridge, UK.
- PYNE, S.J. 1982. *Fire in America*. Princeton University Press. Princeton, NJ USA.
- QUIROZ V., R.I. 1998. Morphological variation of needles, cones and seeds, and evaluation in a progeny test of *Pinus radiata* var. *cedrosensis* (Howell) Axelrod. M.S. thesis. Universidad Autónoma Chapingo. Chapingo, Mexico.
- RAVEST SANTÍS, G. 1983. Salvar Isla Guadalupe: Un Deber de Mexicanidad. *Rev Chapingo* 8:5–45.
- READ, D.J. 1998. The mycorrhizal status of *Pinus*. p. 324–340 In: D.M. RICHARDSON (ed.) *Ecology and biogeography of Pinus*. Cambridge University Press. Cambridge, UK.
- REHFELDT, G.E. 1997. Quantitative analyses of the genetic structure of closely related conifers with disparate distributions and demographics: The *Cupressus arizonica* (Cupressaceæ) complex. *Am J Bot* 84:190–200.
- RICHARDSON, D.M., P. PYSEK, M. REJMANEK, M.G. BARBOUR, F.D. PANETTA, and C.J. WEST. 2000. Naturalization and invasion of alien plants: Concepts and definitions. *Divers Distrib* 6:93–107.
- RICO C., J. 1997a. Interpretación de los instrumentos jurídicos para la conservación de los recursos naturales de Isla Guadalupe, Baja California, México. *Cienc Forest* 1:25–31.
- RICO C., J. 1997b. La flora endémica de Isla Guadalupe, Baja California Norte, México: En peligro de extinción. *Cienc Forest* 1:17–24.
- RICO C., J. 1997c. Variación morfológica en *Pinus radiata* var. *binata* (Engelm.) Lemmon y *Pinus radiata* var. *cedrosensis* (Howell) Axelrod de Isla Guadalupe e Isla Cedros, B.C.N. México. Thesis. Universidad Autónoma Chapingo División de Ciencias Forestales, Chapingo, Mexico.
- RIGGS, L.A. 1990. Conserving genetic resources on-site in forest ecosystems. *For Ecol Manage* 35:45–68.
- RIGHTER, F.I. and J.W. DUFFIELD. 1951. Interspecies hybrids in pines. *J Hered* 42:75–80.
- RIMBAWANTO, A., P. COOLBEAR, and A. FIRTH. 1989. Morphological and physiological changes associated with the onset of germinability in *Pinus radiata* (D. Don) seed. *Seed Sci Technol* 17:399–411.
- RODRÍGUEZ-TRELLES, F., M.A. RODRÍGUEZ, and S.M. SCHEINER. 1998. Tracking the genetic effects of global warming: *Drosophila* and other model systems. *Conserv Ecol* 2:2. URL: <http://www.consecol.org/vol2/iss2/art2>.
- ROGERS, D.L. 2000. Clonal structure and genotypic diversity in old-growth populations of coast redwood (*Sequoia sempervirens*). *Can J Bot* 78:1408–1419.
- ROGERS, D.L. and F.T. LEDIG (eds.) 1996. *The status of temperate North American forest genetic resources*. Report No. 16. Genetic Resources Conservation Program, University of California. Davis, CA USA.
- ROGERS, D.L. A.C. MATHESON, J.J. VARGAS HERNÁNDEZ, and J.J. GUERRA SANTOS. 2002. Genetic conservation of

- insular populations of Monterey pine (*Pinus radiata* D. Don): Recent activities and recommendations. Submitted to *Conserv Biol*.
- ROOT, T.L. and S.H. SCHNEIDER. 1995. Ecology and climate: research strategies and implications. *Science* **269**:334–341.
- ROY, D.F. 1966. Silvical characteristics of Monterey pine (*Pinus radiata* D. Don). Research paper PSW-31. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station. Berkeley, CA USA.
- SAKAI, W.H., J. LANE, A.V. EVANS, J. SCHRUMPF, and M. MONROE. 1989. The wintering colonies of the monarch butterfly (*Danaus plexippus* (L.): Nymphalidæ: Lepidoptera) in the state of California. California Department of Fish and Game Contract. Report FG7551. Sacramento, CA USA.
- SAUNDERS, D.A., R.J. HOBBS, and G.W. ARNOLD. 1993. The Kellerberrin project on fragmented landscapes: A review. *Biol Conserv* **5**:18–32.
- SAVOLAINEN, O. 1994. Genetic variation and fitness: Conservation lessons from pines. p. 27–36 *In*: V. LOESCHCKE, J. TOMIUK, and S.K. JAIN (eds.) *Conservation genetics*. Birkhäuser Verlag, Basel, Switzerland.
- SAVOLAINEN, O., G.F. MORAN, and J.C. BELL. 2002. Variation in outcrossing in the native populations of *Pinus radiata* due to purging of early acting deleterious genes. *Evolution*, In review.
- SCOTT, C.W. 1960. Radiata pine as an exotic. *Unasylva* **14**:6–16.
- SCOTTI, I., G. PAGLIA, F. MAGNI, and M. MORGANTE. 1999. Microsatellite markers as a tool for the detection of intra- and interpopulational genetic structure. *In*: E.M. GILLET (ed.) *Which DNA marker for which purpose? Final Compendium of the Research Project 'Development, optimisation, and validation of molecular tools for assessment of biodiversity in forest trees' in the European Union DGXII Biotechnology FW IV Research Programme 'Molecular tools for biodiversity'*. URL: <http://webdoc.sub.gwdg.de/ebook/y/1999/whichmarker/index.htm>.
- SEDJO, R.A. 1999. The potential high-yield plantation forestry for meeting timber needs. *New Forests* **17**:339–359.
- SHAFFER, S.L., P.J. BARTLEIN, and R.S. THOMPSON. 2001. Potential changes in the distributions of western North America tree and shrub taxa under future climate scenarios. *Ecosystems* **4**:200–215.
- SHELBOURNE, C.J.A. 1970. Genetic improvement of different tree characteristics of radiata pine and the consequences for silviculture and utilisation. *In: Pruning and thinning practice*. Forest Research Institute Symposium No. 12. March 16–20, 1970. Rotorua, New Zealand.
- SHELBOURNE, C.J.A. 1997. Genetics of adding value to the end-products of radiata pine. p. 129–141 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- SHELBOURNE, C.J.A., L.A. APIOLAZA, K.J.S. JAYAWICKRAMA, and C.T. SORENSSON. 1997. Developing breeding objectives for radiata pine in New Zealand. p. 160–168 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- SHELBOURNE, C.J.A., R.D. BURDON, S.D. CARSON, A. FIRTH, and T.G. VINCENT. 1986. Development plan for radiata pine breeding. Forest Research Institute. Rotorua, New Zealand.
- SIGG, J. 1987. Ecology and horticulture of California pines. *Fremontia* **15**(1):17–26.
- SIREGAR, I.A. and G.B. SWEET. 2000. The impact of extraction and storage conditions on the viability of radiata pine pollen. *Silva Genet* **49**:10–14.
- SMITH, D. and M.E. DEVEY. 1994. Occurrence and inheritance of microsatellites in *Pinus radiata*. *Genome* **37**: 977–983.
- SMITH, L.L. and K. FERLITO. 1997. Monterey pine forest: A forest at risk. *Fremontia* **25**(1):3–4.
- SORENSSON, C.T., R.D. BURDON, D.J. COWN, P.A. JEFFERSON, and C.J.A. SHELBOURNE. 1997. Incorporating spiral grain into New Zealand's radiata pine breeding programme. p. 180–191 *In*: R.D. BURDON and J.M. MOORE (eds.) *IUFRO '97 Genetics of radiata pine*. Proceedings of NZ FRI-IUFRO Conference 1–4 December and Workshop 5 December, Rotorua, New Zealand. FRI Bulletin No. 203.
- SPENCER, D., K. ELDRIDGE, and C. MATHESON (eds.). 1998. *Conserving the natural genetic resources of Pinus radiata outside California and Mexico*. Proceedings of a Workshop, October 6, 1998. Commonwealth Scientific and Industrial Research Organization, Forestry and Forest Products. Canberra, Australia.
- STEBBINS, G.L. 1950. *Variation and evolution in plants*. Columbia University Press. New York, NY USA.
- STEPHENS, S.L., D.J. DULITZ, and R.E. MARTIN. 1999. Giant sequoia regeneration in group selection openings in the southern Sierra Nevada. *For Ecol Manage* **120**:89–95.
- STOCKWELL, P. and F.I. RIGHTER. 1946. *Pinus*: The fertile species hybrid between knobcone and Monterey pines. *Madroño* **8**:157–160.
- STORER, A.J., P. BONELLO, T.R. GORDON, and D.L. WOOD. 1999. Evidence of resistance to the pitch canker pathogen (*Fusarium circinatum*) in native stands of Monterey pine (*Pinus radiata*). *For Sci* **45**:500–505.
- STRAUSS, S.H. and M.T. CONKLE. 1986. Segregation, linkage, and diversity of allozymes in knobcone pine. *Theor Appl Genet* **72**:483–493.
- STRAUSS, S.H. and A.H. DOERKSEN. 1990. Restriction fragment analysis of pine phylogeny. *Evolution* **44**: 1081–1096.
- STRAUSS, S.H., Y-P. HONG, and V.D. HIPKINS. 1993. High levels of population differentiation for mitochondrial DNA haplotypes in *Pinus radiata*, *muricata*, and *attenuata*. *Theor Appl Genet* **86**:605–611.
- STYLES, B.T. 1972. The flower biology of the Meliaceae and its bearing on tree breeding. *Silva Genet* **21**:175–182.
- STYLES, B.T. 1993. Genus *Pinus*: A Mexican purview. p. 397–419 *In*: T.P. RAMAMOORTHY, R. BYE, A. LOT, and J.

- FA (eds.) *Biological diversity in Mexico: Origins and distribution*. Oxford University Press. New York, NY USA.
- SUTTON, W.R.J. 1995. Plantation forests protect our biodiversity. *NZ Forest* 40:2–5.
- SUTTON, W.R.J. 1999. The need for planted forests and the example of radiata pine. *New Forests* 17:95–109.
- SWEET, G.B. and M.P. BOLLMANN. 1976. Seasonal growth of the female strobilus in *Pinus radiata*. *NZ J For Sci* 1:15–21.
- TEWKSBURY, J.J., G.P. NABHAN, D. NORMAN, H. SUZÁN, J. TUXILL, and J. DONOVAN. 1999. *In situ* conservation of wild chiles and their biotic associates. *Conserv Biol* 13: 98–107.
- TOPLU, F., K. TUNCTANER, and M. TULUKCU. 1987. Investigation on growth and resistance to European shoot moth (*Evetria buoliana* Schiff.) of radiata pine (*Pinus radiata* D. Don) origins in Kocaeli Peninsula. Poplar and Fast-growing Exotic Forest Trees Research Institute, Turkey, Annual Bulletin No. 23:13–27.
- TORO, J. and S.P. GESSEL. 1999. Radiata pine plantations in Chile. *New Forests* 18:33–44.
- TJOSVOLD, S.A. and A.H. MCCAIN. 1988. Treatment of pitch canker on Monterey pine with fungisol injection. *J Arboric* 14:135–136.
- TUISESE, S., P. BULAI, M. TUIWAWA, P. HODGSKISS, and L. THOMSON. 2000. A strategy for conserving, managing and better utilizing the genetic resources of *Dacrydium nausoriense* (Highlands Yaka). SPRIG Project/ Department of Forestry. Suva, Republic of Fiji.
- TUROK, J., C. PALMBERG-LERCHE, T. SKRØPPA, and A.S. OUÉDRAOGO (eds.) 1998. *Conservation of forest genetic resources in Europe*. Proceedings of the European Forest Genetic Resources Workshop, 21 November 1995, Sopron, Hungary. International Plant Genetic Resources Institute. Rome, Italy.
- TUSKES, P.M. and L.P. BROWER. 1978. Overwintering ecology of the monarch butterfly, *Danaus plexippus* L., in California. *Ecol Entomol* 3:141–153.
- VARELIDES, C. 1996. Provenance variation in *Pinus radiata* at two sites in northern Greece. *NZ J For Sci* 26:348–354.
- VIDAKOVIĆ, M. 1991. *Conifers: Morphology and variation*. Grafički Zavod Hrvatske. Zagreb, Croatia.
- VOGL, R.J. 1973. The ecology of the knobcone pine in the Santa Ana Mountains, California. *Ecol Monogr* 43:125–143.
- WALTERS, G.A. and G. MEDLICOTT. 1990. Container hybrid pines survive on a harsh dam site. *Tree Planters' Notes* 41: 8–14.
- WEISS, S.B., P.M. RICH, D.D. MURPHY, W.H. CALVERT, and P.R. EHRlich. 1991. Forest canopy structure at overwintering Monarch butterfly sites: Measurements with hemispherical photography. *Conserv Biol* 5:165–175.
- WELLS, P.V. 1962. Vegetation in relation to geological substratum and fire in the San Luis Obispo quadrangle. *Ecol Monogr* 32:89–103.
- WHEELER, N.C. and R.P. GURIES. 1982. Population structure, genic diversity and morphological variation in *Pinus contorta* Dougl. *Can J For Res* 12:595–606.
- WHEELER, N.C., R.P. GURIES, and D.M. O'MALLEY. 1983. Biosystematics of the genus *Pinus* subsection *Contorta*. *Biochem Syst Ecol* 11:333–340.
- WHEELER, N.C., K.S. JECH, S.A. MASTERS, C.J. O'BRIEN, D.W. TIMMONS, R.W. STONECYPHER, and A. LUPKES. 1995. Genetic variation and parameter estimates in *Taxus brevifolia* (Pacific Yew). *Can J For Res* 25:1913–1927.
- WHITE, K.L. 1999. Revisiting native *Pinus radiata* forests after twenty-nine years. *Madroño* 46:80–87.
- WHITLOCK, M.C., P.C. PHILLIPS, and M.J. WADE. 1993. Gene interaction affects the additive genetic variance in subdivided populations with migration and extinction. *Evolution* 47:1758–1769.
- WIKLER, K. and T.R. GORDON. 2000. An initial assessment of genetic relationships among populations of *Fusarium circinatum* in different parts of the world. *Can J Bot* 78: 709–717.
- WIKLER, K., T.R. GORDON, S.L. CLARK, M.J. WINGFIELD, and H. BRITZ. 2000. Potential for outcrossing in an apparently asexual population of *Fusarium circinatum*, the causal agent of pitch canker disease. *Mycologia* 92: 1085–1090.
- WILCOX, M.D. 1983. Inbreeding depression and genetic variances estimated from self- and cross-pollinated families of *Pinus radiata*. *Silva Genet* 32:89–96.
- WILCOX, M.D. and J.T. MILLER. 1975. *Pinus nigra* provenance variation and selection in New Zealand. *Silva Genet* 24:132–140.
- WILSON, B.C. 1990. Gene-pool reserves of Douglas fir. *For Ecol Manage* 35:121–130.
- WOODRUFF, D.S. and G.A.E. GALL. 1992. Genetics and conservation. *Agric Ecosyst Environ* 42:53–73.
- WOODWARD, R. and W. HARRISON. 1989. The importance of using 'local' plant genetic resources for rehabilitation in California State Parks. *Cal Ranger* Summer 5–10.
- WRIGHT, S. 1931. Evolution in Mendelian populations. *Genetics* 16:97–159.
- WRIGHT, S. 1977. *Evolution and the genetics of populations, Volume 3*. University of Chicago Press. Chicago, IL USA.
- WU, H.X., A.C. MATHESON, and D. SPENCER. 1998. Inbreeding in *Pinus radiata*. II: Time course of inbreeding depression and effect on growth curve. *NZ J For Sci* 28:123–139.
- WU, J., K.V. KRUTOVSKII, and S.H. STRAUSS. 1998. Abundant mitochondrial genome diversity, population differentiation and evolution in pines. *Genetics* 150:1605–1614.
- WU, J., K.V. KRUTOVSKII, and S.H. STRAUSS. 1999. Nuclear DNA diversity, population differentiation, and phylogenetic relationships in the California closed-cone pines based on RAPD and allozyme markers. *Genome* 42: 893–908.
- YANG, R.C. and F.C. YEH. 1993. Multilocus structure in *Pinus contorta* Dougl. *Theor Appl Genet* 87:568–576.

